

DERMATOLOGY REFERRAL

Fax Referral:



Dat e: _____ ☐ Current Patient ☐ New

Phone:

Patient Needs by Date: _____

PATIENT INFORMATION

Patient Name: _____
Address: _____
City, State, Zip: _____
Home Phone: _____
Cell Phone: _____
Date of Birth: _____ Gender: ☐ M ☐ F

INSURANCE INFORMATION (Please attach the front and back of insurance and prescription drug card)

Primary Insurance: _____
ID#: _____ Group: _____
Secondary Insurance: _____
ID#: _____ Group: _____
Prescription Card: _____ ID#: _____
BIN: _____ PCN: _____ Group: _____

PRESCRIBER INFORMATION

Prescriber Name: _____
Address: _____
City, State, Zip: _____
Phone: _____ Fax: _____
DEA#: _____ NPI#: _____
Contact Person: _____

Clinical Information (Please fax all pertinent clinical information)

Diagnosis: ☐ L20.9 (Atopic Dermatitis) ☐ L40.0 (Psoriasis vulgaris/Plaque Psoriasis/Nummular Psoriasis) ☐ L40.8 (Other Psoriasis)
☐ L40.9 (Psoriasis, unspecified) ☐ L40.5 (Psoriatic Arthritis) ☐ L73.2 (Hidradenitis Suppurativa) ☐ _____
Diagnosis Date: _____ **TB Test:** ☐ Yes ☐ No **Neg. Test Date** _____
HBV: ☐ Yes ☐ No If yes, currently treated: ☐ Yes ☐ No **Allergies:** _____
BSA affected (%): _____ **Affected areas:** ☐ Palms ☐ Soles ☐ Head ☐ Neck ☐ Genitalia ☐ _____ **Prior Therapy:** ☐ Yes ☐ No
Reason for Discontinuation of Therapy: _____
Approximate Start Date: _____ **Approximate End Date:** _____

Medication	Dose/Strength	Directions	Quantity	Refills
Cimzia	☐ 6 X 200 mg/mL (PFS Starter Kit) ☐ 2 X 200 mg/mL PFS ☐ 2 X 200 mg/mL Vial	☐ Inject 400mg sc at weeks 0, 2, and 4 ☐ Inject 200mg sc every 2 weeks ☐ Inject 400mg sc every 4 weeks ☐ For some patients <90 kg: Inject 400 mg sc at weeks 0, 2, and 4, then 200 mg every 2 weeks		
Dupixent	☐ 300mg PFS	☐ Starter dose: Inject 300mg SC on day 1 and day 15 ☐ Maintenance: Inject 300mg SC every 2 weeks thereafter		
Enbrel	☐ 50mg/ml Prefilled Syringe ☐ 50mg/ml SureClick Autoinjector ☐ 25mg/0.5ml Prefilled Syringe	☐ Starter Dose: Inject 50mg SC twice a week (72-96 hrs apart for 3 months) ☐ Maintenance: Inject SC every 4 weeks		
Humira	☐ 20mg/0.2mL Pen ☐ 40mg/0.4mL Pen ☐ 40mg/0.8mL Pen or Syringe ☐ 40mg Kit 4 X 0.8 ml ☐ 40mg Psoriasis Starter Pack	☐ Starter Dose: Inject 80mg SC on Day 1 ☐ Maintenance: Inject 50mg SC once weekly thereafter Other: _____		
Ilumya	☐ 100mg/1ml Prefilled Syringe	☐ Starter Dose: Inject 100mg SC 0, 4 ☐ Maintenance: 100mg SC every 12 weeks		
Orencia	☐ 125mg PFS ☐ 250mg/mL Vial ☐ 125mg ClickJect Pen	☐ Starter Dose: Infuse _____ mg at week 0, 2, and 4 ☐ Maintenance Infuse _____ mg at every 4 week thereafter (<60kg=500mg, 60 to 100kg=750mg, >100kg=1000mg)		
Otezla	☐ 30 mg	☐ 2 X Daily ☐ 28 Day Starter Pack		
Remicade / Renflexis / Inflectra	☐ 100 mg Vial	Starter Dose: ☐ 5mg/kg (dose _____ mg) IV at 0.2 and 6 weeks, then every 8 weeks thereafter Maintenance: ☐ 5mg/kg (Dose _____ mg) IV every 8 weeks ☐ IV _____ mg every _____ weeks		
Simponi/ Simponi Aria	☐ 100 mg/ml Autoinjector ☐ 100 mg/ml PFS ☐ 50mg/ml Autoinjector ☐ 50 mg/ml PFS ☐ 50 mg/4ml vial	☐ Inject 100 mg SC once a month ☐ Inject 50 mg SC once a month ☐ Infuse _____ mg (2mg/kg00 over 30 minutes at 0 and 4, then every 8 weeks)	☐ 4-wk supply ☐ Other: _____	
Stelara	☐ 45 mg/0.5 ml PFS ☐ 90 mg/1.0 ml PFS	Starter Dose: ☐ Inject 45mg SC (pt<100kg) on day 1 and day 28 for starter dose ☐ Inject 90mg SC (pt>100kg) on day 1 and day 28 for starter dose Maintenance: ☐ Inject 45 mg SC (pt<100kg) every 12 weeks thereafter. ☐ Inject 90 mg sc (pt>100kg) every 12 weeks thereafter	☐ Initial Dose 1 ☐ Other: _____	
Tremfya	☐ 100mg/1ml Prefilled Syringe	☐ Inject 100 mg sq on week 0 and 4 (Qty 1 plus 1 refill) ☐ Inject 100 mg sq every 8 weeks (Qty 1)		
Xeljanz/XR	☐ 5 mg ☐ 11mg	☐ Take 5 mg po, bid ☐ Take 11 mg po once daily		

Other/Notes: _____

Prescriber Signature: _____

DAW (Dispense as Written) Date: _____

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intend recipient, please notify us immediately by faxing back to the originator.