

DERMATOLOGY REFERRAL FORM	SUPERIOR BIOLOGICS Fax Referral To: 914-747-1170 Phone: 855-747-1150			
Date: _____				
Patient Information	Prescriber Information			
Patient Name: _____ Address: _____ City, State, Zip: _____ Home Phone: _____ Cell Phone: _____ DOB: _____ Gender: ☐ M ☐ F	Prescriber Name: _____ Address: _____ City, State, Zip: _____ Phone: _____ Fax: _____ DEA: _____ NPI #: _____ Contact Person: _____			
Insurance Information				
Primary Insurance: _____ ID#: _____ Group: _____ Secondary Insurance: _____ ID#: _____ Group: _____ Prescription Card: _____ ID#: _____ BIN#: _____ PCN#: _____ Group: _____				
Clinical Information (please fax all pertinent clinical information)				
Diagnosis: ☐ L20.9 (Atopic Dermatitis) ☐ L40.0 (Psoriasis Vulgaris/Plaque Psoriasis/Nummular Psoriasis) ☐ L40.8 (Other Psoriasis) ☐ L40.9 (Psoriasis/Unspecified) ☐ L40.5 (Psoriatic Arthritis) ☐ L73.2 (Hidradenitis Suppurativa) ☐ M33 (Dermatopolymyositis) ☐ M33.1 (Dermatomyositis) ☐ L12.9 (Pemphigoid/Pemphigus) ☐ L10.0 (Pemphigus Vulgaris) Diagnosis Date: _____ Height: _____ Weight: _____ Tb Test: ☐ Yes ☐ No Neg. Text Date: _____ HBV: ☐ Yes ☐ No If Yes, Currently Treated: ☐ Yes ☐ No Allergies: _____ BSA Affected (%): _____ Affected Areas: ☐ Palms ☐ Soles ☐ Head ☐ Neck ☐ Genitalia ☐ _____ Prior Therapy: ☐ Yes ☐ No Reason for Discontinuation of Therapy: _____ Approximate Start Date: _____ Approximate End Date: _____				
Prescription Information				
Medication	Dose Strength	Directions	Qty	Refills
Cimzia	☐ 6 x 200mg/mL (PFS Starter Kit) ☐ 2 x 200mg/mL PFS ☐ 2 x 200mg/mL Vial	☐ Inject 400mg SC at weeks 0, 2 and 4 ☐ Inject 200mg SC every 2 weeks ☐ Inject 400mg SC every 4 weeks ☐ For some patients <90kg: Inject 400mg SC at weeks 0, 2 and 4, then 200mg every 2 weeks		
Cosentyx	☐ 300mg Sensoready Pen ☐ 150mg Sensoready Pen	☐ Starter Dose: Inject SC weeks 0, 1, 2, 3, and 4 ☐ Maintenance Dose: Inject SC every 4 weeks		
Dupixent	☐ 300mg PFS ☐ 200mg PFS	☐ Starter Dose: Inject 400 mg (two 200 mg injections) ☐ Starter Dose: Inject 600 mg (two 300 mg injections) ☐ Maintenance Dose: Inject 200mg SC every 2 weeks thereafter ☐ Maintenance Dose: Inject 300mg SC every 2 weeks thereafter		
Enbrel	☐ 50mg/mL Prefilled Syringe ☐ 50mg/mL SureClick Autoinjector ☐ 25mg/0.5mL Prefilled Syringe	☐ Starter Dose: Inject 50mg SC twice a week (72-96 hours apart for 3 months) ☐ Maintenance Dose: Inject SC every 4 weeks		
Humira	☐ 20mg/0.2mL Pen ☐ 40mg/0.4mL Pen ☐ 40mg/0.8mL Pen or Syringe ☐ 40mg Kit 4 x 0.8mL ☐ 40mg Psoriasis Starter Pack	☐ Starter Dose: Inject 80mg SC on Day 1 ☐ Maintenance Dose: Inject 40mg SC once weekly thereafter Other: _____	☐ Initial Dose 1: Other: _____ ☐ Injection training required from my Humira	
Ilumya	☐ 100mg/mL Prefilled Syringe	☐ Starter Dose: Inject 100mg SC at weeks 0 and 4 ☐ Maintenance Dose: 100mg SC every 12 weeks		
Prescriber Signature: _____ DAW (Dispense as Written) Date: _____				

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intend recipient, please notify us immediately.

DERMATOLOGY REFERRAL FORM	SUPERIOR BIOLOGICS Fax Referral To: 914-747-1170 Phone: 855-747-1150			
Date: _____				
Patient Information Patient Name: _____ Address: _____ City, State, Zip: _____ Home Phone: _____ Cell Phone: _____ DOB: _____ Gender: ☐ M ☐ F	Prescriber Information Prescriber Name: _____ Address: _____ City, State, Zip: _____ Phone: _____ Fax: _____ DEA: _____ NPI #: _____ Contact Person: _____			
Insurance Information				
Primary Insurance: _____ ID#: _____ Group: _____ Secondary Insurance: _____ ID#: _____ Group: _____ Prescription Card: _____ ID#: _____ BIN#: _____ PCN#: _____ Group: _____				
Clinical Information (please fax all pertinent clinical information)				
Diagnosis: ☐ L20.9 (Atopic Dermatitis) ☐ L40.0 (Psoriasis Vulgaris/Plaque Psoriasis/Nummular Psoriasis) ☐ L40.8 (Other Psoriasis) ☐ L40.9 (Psoriasis/Unspecified) ☐ L40.5 (Psoriatic) ☐ L73.2 (Hidradenitis Suppurativa) Arthritis ☐ M33 (Dermatopolymyositis) ☐ M33.1 (Dermatomyositis) ☐ 2.9 (Pemphigoid/Pemphigus) ☐ L10.0 (Pemphigus Vulgaris) Diagnosis Date: _____ Height: _____ Weight: _____ Tb Test: ☐ Yes ☐ No Neg. Text Date: _____ HBV: ☐ Yes ☐ No If Yes, Currently Treated: ☐ Yes ☐ No Allergies: _____ BSA Affected (%): _____ Affected Areas: ☐ Palms ☐ Soles ☐ Head ☐ Neck ☐ Genitalia ☐ _____ Prior Therapy: ☐ Yes ☐ No Reason for Discontinuation of Therapy: _____ Approximate Start Date: _____ Approximate End Date: _____				
Prescription Information				
Medication	Dose Strength	Directions	Qty	Refills
IVIG Orders		_____ mg/kg IV divided over _____ day(s) _____ mg/kg IV divided over _____ day(s) Frequency: ☐ Every _____ weeks for one year ☐ one time dose		
Orencia	☐ 150mg PFS ☐ 250mg/mL Vial ☐ 125mg ClickJect Pen	☐ Starter Dose: Infuse _____ mg at weeks 0, 2, and 4 ☐ Maintenance Dose: Infuse _____ mg at every 4 weeks thereafter (<60kg = 500mg, 60kg to 100kg = 750mg, and >100kg = 1000mg) ☐ SC: Inject 125mg SC once a week		
Otezla	☐ 28 Day Starter Pack ☐ 30mg	☐ Starter Pack: Take as Directed ☐ Maintenance Dose: Take 1 Table BID		
☐ Remicade ☐ Avsola ☐ Inflectra ☐ Renflexis	☐ 100mg Vial	☐ Starter Dose: 5mg/kg (dose _____ mg) IV at 0, 2, and 6 weeks, then every 8 weeks thereafter ☐ Maintenance Dose: 5mg/kg (dose _____ mg) IV every 8 weeks IV _____ mg every _____ weeks		
Rituxan	☐ 100mg Vial	☐ Loading Dose: 1000mg IV at Day 0 and Day 15 ☐ Maintenance Dose: 50mg IV at month 12 and every 6 months thereafter		
Siliq	☐ 210mg/1.5mL PFS	☐ Loading Dose: Inject 210mg SC at weeks 0,1, and 4 ☐ Maintenance Dose: 210mg SC every 2 weeks thereafter	☐ Starter Dose: 3 PFS ☐ Maintenance Dose 2 PFS	
Prescriber Signature: _____ DAW (Dispense as Written) Date: _____				

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intend recipient, please notify us immediately by faxing back to the originator.

DERMATOLOGY REFERRAL FORM	SUPERIOR BIOLOGICS Fax Referral To: 914-747-1170 Phone: 855-747-1150			
Date: _____				
Patient Information Patient Name: _____ Address: _____ City, State, Zip: _____ Home Phone: _____ Cell Phone: _____ DOB: _____ Gender: ☐ M ☐ F	Prescriber Information Prescriber Name: _____ Address: _____ City, State, Zip: _____ Phone: _____ Fax: _____ DEA: _____ NPI #: _____ Contact Person: _____			
Insurance Information				
Primary Insurance: _____ ID#: _____ Group: _____ Secondary Insurance: _____ ID#: _____ Group: _____ Prescription Card: _____ ID#: _____ BIN#: _____ PCN#: _____ Group: _____				
Clinical Information (please fax all pertinent clinical information)				
Diagnosis: ☐ L20.9 (Atopic Dermatitis) ☐ L40.0 (Psoriasis Vulgaris/Plaque Psoriasis/Nummular Psoriasis) ☐ L40.8 (Other Psoriasis) ☐ L40.9 (Psoriasis/Unspecified) ☐ L40.5 (Psoriatic Arthritis) ☐ L73.2 (Hidradenitis Suppurativa) ☐ M33 (Dermatopolymyositis) ☐ M33.1 (Dermatomyositis) ☐ L12.9 (Pemphigoid/Pemphigus) ☐ L10.0 (Pemphigus Vulgaris) Diagnosis Date: _____ Height: _____ Weight: _____ Tb Test: ☐ Yes ☐ No Neg. Text Date: _____ HBV: ☐ Yes ☐ No If Yes, Currently Treated: ☐ Yes ☐ No Allergies: _____ BSA Affected (%): _____ Affected Areas: ☐ Palms ☐ Soles ☐ Head ☐ Neck ☐ Genitalia ☐ _____ Prior Therapy: ☐ Yes ☐ No Reason for Discontinuation of Therapy: _____ Approximate Start Date: _____ Approximate End Date: _____				
Prescription Information				
Medication	Dose Strength	Directions	Qty	Refills
Simponi / Simponi Aria	☐ 100mg/mL Autoinjector ☐ 100mg/mL PFS ☐ 50mg/mL Autoinjector ☐ 50mg/mL PFS ☐ 50mg/4mL Vial	☐ Inject 100mg SC once a month ☐ Inject 50mg SC once a month ☐ Infuse _____ mg (2mg/kg over 30 minutes at weeks 0 and 4, then every 8 weeks)	☐ 4 week supply	
Skyrizi	☐ 75mg/0.83mL (150mg dose)	☐ Initial Dose: Inject 150mg SC weeks 0, and 4 ☐ Maintenance Dose: Inject 150mg SC every 12 weeks		
Stelara	☐ 45mg/0.5mL PFS ☐ 90mg/1.0mL PFS	Starter Dose: ☐ Inject 45mg SC (pt<100kg) on Day 1 and Day 28 ☐ Inject 90mg SC (pt>100kg) on Day 1 and Day 28 Maintenance Dose: ☐ Inject 45mg SC (pt<100kg) every 12 weeks thereafter ☐ Inject 90mg SC (pt>100kg) every 12 weeks thereafter	☐ Initial Dose: 1 other: _____	
Taltz	☐ 80mg/mL Autoinjector	☐ Starter Dose: Inject 160mg SC at week 0, then 80mg at weeks 2, 4, 6, 8, 10, and 12 weeks ☐ Maintenance Dose: Inject 80mg SC every 4 weeks		
Tremfya	☐ 100mg PFS	☐ Inject 100mg SC on weeks 0 and 4 ☐ Inject 100mg SC every 8 weeks	☐ 1 Plus Refill ☐ 1	
Xeljanz/XR		☐ Take 5mg PO BID ☐ Take 11mg PO once daily		
Prescriber Signature: _____ DAW (Dispense as Written) Date: _____				

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intend recipient, please notify us immediately by faxing back to the originator.